


Windows 7 steps for allowing port 8123


Note: You might need to get help from a technical person to perform this task.

Open Windows Firewall Advanced setup by going to “Start”->”Run”and type **wf.msc**

Right click on “Inbound Rules” and select “New Rule”



Select Port:




Click next, make sure TCP is selected, type 8123 and click next:

The screenshot shows the 'New Inbound Rule Wizard' window. The title bar reads 'New Inbound Rule Wizard'. The main heading is 'Protocol and Ports'. Below the heading is the instruction: 'Specify the protocols and ports to which this rule applies.' On the left, a 'Steps:' sidebar lists: 'Rule Type', 'Protocol and Ports' (highlighted), 'Action', 'Profile', and 'Name'. The main area contains two questions with radio button options. The first question is 'Does this rule apply to TCP or UDP?' with 'TCP' selected. The second question is 'Does this rule apply to all local ports or specific local ports?' with 'Specific local ports:' selected. A text input field next to 'Specific local ports:' contains the value '8123'. Below the input field is the example text: 'Example: 80, 443, 5000-5010'.

Choose "Allow the connection" and click on next:

The screenshot shows the 'New Inbound Rule Wizard' window. The title bar reads 'New Inbound Rule Wizard'. The main heading is 'Action'. Below the heading is the instruction: 'Specify the action to be taken when a connection matches the conditions specified in the rule.' On the left, a 'Steps:' sidebar lists: 'Rule Type', 'Protocol and Ports', 'Action' (highlighted), 'Profile', and 'Name'. The main area contains the question: 'What action should be taken when a connection matches the specified conditions?' with three radio button options: 'Allow the connection' (selected), 'Allow the connection if it is secure', and 'Block the connection'. Under 'Allow the connection' is the text: 'This includes connections that are protected with IPsec as well as those are not.' Under 'Allow the connection if it is secure' is the text: 'This includes only connections that have been authenticated by using IPsec. Co will be secured using the settings in IPsec properties and rules in the Connection Rule node.' Below this text is a 'Customize...' button. Under 'Block the connection' is no text.

Choose Private and click on next:



New Inbound Rule Wizard

Profile

Specify the profiles for which this rule applies.

Steps:

- Rule Type
- Protocol and Ports
- Action
- Profile
- Name


When does this rule apply?

Domain
Applies when a computer is connected to its corporate domain.

Private
Applies when a computer is connected to a private network location.

Public
Applies when a computer is connected to a public network location.

Name it Port 8123 and click on finish:



New Inbound Rule Wizard

Name

Specify the name and description of this rule.

Steps:

- Rule Type
- Protocol and Ports
- Action
- Profile
- Name

Name:
port8123

Description (optional):
|